
Rabbit IgG Heavy and Light Chain Antibody



Goat Polyclonal Antigen Affinity Purif	
5	-101D4 -101D4-13
APPLICATIONS	IHC, ICC, Flow Cyt, IF
SPECIES REACTIVITY	Rabbit
AMOUNT	1 ml
CONCENTRATION	0.5 mg/ml
STORAGE/SHELF LIFE	$2 - 8^{\circ}C / 1$ year from date of receipt
PHYSICAL STATE	Liquid
BUFFER	Phosphate Buffered Saline (PBS) containing 0.2% BSA and 0.09% Sodium Azide
FLUOROPHORE/PROTEI	
ISOTYPE	IgG
ORIGIN	USA
PRODUCTION PROCEDURES	The antibody was isolated by affinity chromatography using antigen coupled to agarose beads and conjugated to DyLight® 594.
	Antibody concentration was determined by extinction coefficient prior to conjugation: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.
	By immunoelectrophoresis and ELISA this antibody reacts specifically with rabbit IgG and with light chains common to other rabbit immunoglobulins. No antibody was detected against non-immunoglobulin serum proteins. This antibody may cross react with IgG from other species.
APPLICATIONS	Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.
	Immunohistochemistry 1:50 – 1:500
	Immunocytochemistry 1:50 – 1:500
	Flow Cytometry 1:50 – 1:200
	Immunofluorescence 1:50 – 1:500
APPLICATION NOTES	Not all listed applications have been specifically tested by our laboratory.
	DyLight® 594 is excited at 593 (in PBS) and emits at 618 (in PBS).
ADDITIONAL INFO	DyLight® is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. https://www.fortislife.com/p/A120-101D4 Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Michael Spencer, PhD Date: December 22, 2022

> Phone: 800.338.9579 · Fax: 866.597.6105 · Web: www.fortislife.com Orders: orders@fortislife.com · Support: technical@fortislife.com



Detection of human PCNA by immunofluorescence.

Sample: FFPE section of human stomach carcinoma. Primary Antibody: Affinity purified rabbit anti-PCNA (Cat. No. IHC-00012 Lot1) used at a dilution of 1:100 (left) and primary antibody omitted (right). Secondary Antibody: Redfluorescent goat anti-rabbit IgG-heavy and light chain Antibody DyLight® 594 Conjugated (A120-101D4 Lot 4) used at a dilution of 1:100 (5µg/ml) (left) and 1:50 (10 µg/ml) (right). Counterstain: DAPI (blue)

For in vitro laboratory use only. Not for any clinical, therapeutic or diagnostic use in humans or animals. Not for human or animal consumption. This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all-inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state or local laws or regulations.