PPM1B Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP_002697.1

Catalog No. A300-887A-T GeneID 5495

Lot No. A300-887A-T-1

APPLICATIONS WB, IP
SPECIES REACTIVITY Human

AMOUNT 20 μl (2 blots)

CONCENTRATION 40 μg/ml

STORAGE/SHELF LIFE 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION PROCEDURES

Antibody was affinity purified using an epitope specific to PPM1B immobilized on solid support.

The epitope recognized by A300-887A-T maps to a region between residue 450 and the C-terminus (residue 479) of human Protein Phosphatase 1B, Magnesium-Dependent, Beta Isoform

using the numbering given in entry NP_002697.1 (GenelD 5495).

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:1000

Immunoprecipitation The antibody contained within A300–887A–T has been qualified for

use in immunoprecipitation; however, we recommend using the alternative formulation of this antibody found as product A300–887A.

APPLICATION NOTES Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100–020),

Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-20% SDS-PAGE

(link to IP-western blot protocol in Additional Info section below).

Western blot of lysates performed using standard western blot reagents and 4-20% SDS-PAGE.

ADDITIONAL INFO https://www.bethyl.com/product/A300-887A-T

Use the link above to view SDS, a current list of citations, and other product specific information.


IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer

Date: June 21, 2019



PPM1B Antibody A300-887A-T



Detection of human and mouse PPM1B by western blot. Samples: Whole cell lysate from HeLa (5, 15, and 50 μ g), HEK293T (T; 50 μ g), and mouse NIH 3T3 (M; 50 μ g) cells. Antibody: Affinity purified rabbit anti-PPM1B antibody A300-887A-T used at 1:1000. Detection: Chemiluminescence with an exposure time of 3 minutes.