FAS Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP_000034.1

Catalog No. A302-858A-M GeneID 355

Lot No. A302-858A-M-1

APPLICATIONS WB, IP
SPECIES REACTIVITY Human

AMOUNT 100 μl (10 blots)

CONCENTRATION 100 μg/ml

STORAGE/SHELF LIFE 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION PROCEDURES

Antibody was affinity purified using an epitope specific to FAS immobilized on solid support.

The epitope recognized by A302-858A-M maps to a region between residue 285 and 335 of

human Fas (TNF receptor superfamily, member 6) using the numbering given in entry NP 000034.1 (GeneID 355).

APPLICATIONS

Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:1000

Immunoprecipitation The antibody contained within A302-858A-M has been qualified for

use in immunoprecipitation; however, we recommend using the alternative formulation of this antibody found as product A302-858A.

APPLICATION NOTES Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100-020),

Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-20% SDS-PAGE

(link to IP-western blot protocol in Additional Info section below).

Western blot of lysates performed using standard western blot reagents and 4-20% SDS-PAGE.

ADDITIONAL INFO https://www.bethyl.com/product/A302-858A-M

Use the link above to view SDS, a current list of citations, and other product specific information.


IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer

Date: June 21, 2019



FAS Antibody A302-858A-M



Detection of human Fas by western blot. Samples: Whole cell lysate from HeLa (5, 15, and 50 μg) and HEK293T (T; 50 μg) cells. Antibody: Affinity purified rabbit anti-Fas antibody A302-858A-M used at 1:1000. Detection: Chemiluminescence with an exposure time of 3 minutes.