Goat IgG-heavy and light chain Antibody

Donkey Polyclonal Conjugate DyLight® 650

Antigen Affinity Purified Catalog No. A50-101D5 Lot No. A50-101D5-5

APPLICATIONS IHC, ICC, F, IF

SPECIES REACTIVITY Goat **ISOTYPE** IaG

AMOUNT 1 ml at 0.5 mg/ml

2 - 8° C / 1 year from date of receipt STORAGE/SHELF LIFE

PHYSICAL STATE Liquid FLUOROPHORE/PROTEIN 3.8

BUFFER Phosphate Buffered Saline (PBS) containing 0.09% Sodium Azide

ORIGIN USA

PRODUCTION PROCEDURES

The antibody was isolated by affinity chromatography using antigen coupled to agarose beads

and conjugated to DyLight® 650.

Antibody concentration was determined by extinction coefficient prior to conjugation:

absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.

By immunoelectrophoresis and ELISA this antibody reacts specifically with goat IgG and with light

chains common to other goat immunoglobulins. No antibody was detected against non-

immunoglobulin serum proteins.

This antibody may cross react with IgG from other species.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Immunohistochemistry 1:50 – 1:500

Immunocytochemistry 1:50 - 1:500

Flow Cytometry 1:50 - 1:200

Immunofluorescence 1:50 - 1:500

APPLICATION NOTES Not all listed applications have been specifically tested by our laboratory.

DyLight® 650 is excited at 652 (in PBS) and emits at 672 (in PBS). DyLight® 650 replaces DyLight®

649.

DyLight® is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.

ADDITIONAL INFO https://www.bethyl.com/product/A50-101D5

Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.

Eric McIntush, PhD | Chief Scientific Officer Date: December 3, 2018