Human IgG-Fc Fragment Cross-Adsorbed Antibody



Goat Polyclona	al	Conjugate FITC
Antigen Affinit	•	
Catalog No.	A80-30	
Lot No.	A80-30	
APPLICATIONS		IHC, ICC, Flow Cyt, IF
SPECIES REACTIVITY		Human. Minimum reactivity to bovine, chicken, horse, mouse, rabbit, rat and sheep
AMOUNT		1 ml
CONCENTRATION		0.5 mg/ml
STORAGE/SHELF LIFE		2 - 8°C / 1 year from date of receipt
PHYSICAL STATE		Liquid
BUFFER		Phosphate Buffered Saline (PBS) containing 0.2% BSA and 0.09% Sodium Azide
FLUOROPHORE/PROTEIN		8.0
ISOTYPE		IgG
ORIGIN		USA
PRODUCTION PROCEDURES		Antiserum was solid phase adsorbed to ensure class specificity. Antiserum was cross adsorbed using bovine, chicken, horse, mouse, rabbit, rat and sheep immunosorbents to remove cross reactive antibodies. The antibody to human IgG was isolated by affinity chromatography using antigen coupled to agarose beads and conjugated to fluorescein isothiocyanate (FITC).
		Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.
		By immunoelectrophoresis and ELISA this antibody reacts specifically with human IgG. Cross reactivity with IgA and IgM is negligible. No antibody was detected against non- immunoglobulin serum proteins. Less than 1% cross reactivity to bovine, chicken, horse, mouse, rabbit, rat and sheep IgG was detected. This antibody may cross react with IgG from other species.
APPLICATIONS		Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.
		Immunohistochemistry 1:50 – 1:500
		Immunocytochemistry 1:50 – 1:500
		Flow Cytometry 1:50 – 1:200
		Immunofluorescence 1:50 – 1:500
APPLICATION N	OTES	Not all listed applications have been specifically tested by our laboratory.
ADDITIONAL IN	FO	https://www.fortislife.com/p/A80-304F Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Michael Spencer, PhD Date: February 22, 2023

1

For in vitro laboratory use only. Not for any clinical, therapeutic or diagnostic use in humans or animals. Not for human or animal consumption. This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all-inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state or local laws or regulations.