Mouse IgG2c Antibody

Goat Polyclonal Conjugate FITC



Antigen Affinity Purified Catalog No. A90–136F

Lot No. 19

APPLICATIONS IHC, ICC, IF

AMOUNT 1 ml

CONCENTRATION 1 mg/ml

STORAGE/SHELF LIFE 2 - 8°C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Phosphate Buffered Saline (PBS) containing 0.2% BSA and 0.09% Sodium Azide

FLUOROPHORE/PROTEIN 5.0
ISOTYPE IgG
ORIGIN USA

PRODUCTION PROCEDURES

Antiserum was solid phase adsorbed to ensure subclass specificity to IgG2c; sometimes referred to as the Igh 1b allele of IgG2a. (Martin et al., Journal of Immunological Methods, 1998, 212, 187–192) The antibody was isolated by affinity chromatography using antigen coupled to agarose beads and conjugated to fluorescein isothiocyanate (FITC).

Antibody concentration was determined by extinction coefficient prior to conjugation: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.

By immunoelectrophoresis and ELISA, the antiserum reacts specifically with mouse IgG2c in C57BL/6, SJL, C57BL/10, CB20, C57BL/6 by Balb/C crosses and pools of serum of outbred mice obtained from several commercial sources. No antibody was detected against immunoglobulin light chains, other IgG subclasses or non-immunoglobulin serum proteins.

This antibody may cross react with IgG2c from other species.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Immunohistochemistry1:50 - 1:500Immunocytochemistry1:50 - 1:500Immunofluorescence1:50 - 1:500

APPLICATION NOTES Not all listed applications have been specifically tested by our laboratory.

ADDITIONAL INFO https://www.fortislife.com/p/A90-136F

Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.

Michael Spencer, PhD

Date: August 11, 2023